

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 December 2009

(For the Period 15 November 2009 to 30 November 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-32288(1)	Cartridge, 7.62 Millimeter, NATO - M118, Special Ball Long Range [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR NP]	D	1305		AR	05-NOV-2009
M	MIL-DTL-46931G(1)	Cartridge, 7.62 Millimeter, NATO, Ball - M80 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR NP]	D	1305		AR	05-NOV-2009
M	MIL-DTL-46933B(1)	Cartridge, 7.62 Millimeter, NATO, Blank - M82 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR NP]	D	1305		AR	05-NOV-2009
M	MIL-DTL-50704B(1)	Cartridge, 7.62 Millimeter, NATO, Dim Tracer - M276 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR NP]	D	1305		AR	05-NOV-2009
M	MIL-DTL-32274(1)	Charge, Propelling, 60/81/120MM, Parts and Container Assembly [CUST: AR]	D	1315		AR	13-NOV-2009
M	MIL-DTL-51353D(4)	Fuzes, Hand Grenade, Floating Smoke Pot, and Incendiary [CUST: EA]	D	1330		EA	19-NOV-2009
M	MIL-DTL-82886A	Explosive, Plastic-Bonded, Cast PBXN-109 [CUST: OS]	D	1376		OS	28-OCT-2009
M	MIL-DTL-82907A	Explosive Material, Coated CXM-7 [CUST: OS]	D	1376		OS	28-OCT-2009
M	MIL-STD-801C NOT 1	Inspection and Acceptance Standards for Fuel Cells and Fittings [CUST: AV AS 99 CC] [REVIEW: AT MI SA]	A	1560		AS	19-NOV-2009
M	MS21254V(2)	Eye End, Turnbuckle, Clip Locking [CUST: AV AS 99 GS] [REVIEW: MC]	A	1640		GS5	24-NOV-2009
M	MS16070F(3)	Belt, Aircraft Safety, Crewman's [CUST: AS 11 GS]	A	1680		GS1	17-NOV-2009
M	MIL-PRF-62439B	Fuel Control, Main Electrohydraulic [CUST: AT]	A	2910		AT	30-NOV-2009
M	MIL-PRF-62284B	Blower Assembly, Air Cleaner [CUST: AT]	A	2940		AT	09-NOV-2009
N	A-A-59849	Protector, Rope [CUST: GL MC CT]	A	4020	/	CT	20-NOV-2009
M	MIL-DTL-83298C	Hose, Conductive Polytetrafluoroethylene Tube, High Temperature, High Pressure (3000 PSI), Hydraulic and Pneumatic [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4720		CC	22-OCT-2009
M	MIL-DTL-83296B SUP 1	Fittings, Corrosion Resistant Steel, High Temperature, High Pressure (3000 PSI), Hydraulic and Pneumatic, General Specification for [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
N	SAE-AS21936	Contour and Mounting End, Cluster Fitting Body, Semifinished [CUST: AV AS 99] [REVIEW: 71 AT CC MC MI SA SH]	A	4730		AS	19-NOV-2009
M	MIL-PRF-81380E NOT 1	Filter/Monitor, Contamination, Aviation Fuel Dispensing System [CUST: AV AS 68 CC] [REVIEW: 99 AT MC MI YD]	A	4930		AS	19-NOV-2009
M	MS20001M	Hinge, Butt, Structural, Extruded [CUST: AV AS 99] [REVIEW: IS]	A	5340		AS	16-NOV-2009
M	MIL-PRF-39005/11C(2)	Resistors, Fixed, Wire Wound (Accurate), Nonestablished Reliability and Established Reliability Style RBR80 and RBR81 1/ [CUST: EC CC]	A	5905		CC	13-NOV-2009
M	QPL-55342-105	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification For	A	5905		CR	25-NOV-2009
M	W-F-1814/57C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Living) 250 Volts, 31-60 Amperes [CUST: CR YD 85 CC] [REVIEW: AR AT CR4 NS OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/58C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 250 Volts, 61-100 Amperes [CUST: CR YD 85 CC] [REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/59C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 250 Volts, 101-200 Amperes [CUST: CR YD 85 CC] [REVIEW: 99 AR AT CR4 OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/60C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 250 Volts, 201-400 Amperes [CUST: CR YD 85 CC] [REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/61C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 250 Volts, 401-600 Amperes [CUST: CR YD 85 CC] [REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/62C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 600 Volts, 0-30 Amperes [CUST: CR YD 85 CC] [REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/63D	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 600 Volts, 31-60 Amperes [CUST: CR YD 85 CC] [REVIEW: 99 AR AT CR4 EA NS OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/64C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 600 Volts, 61-100 Amperes [CUST: CR YD 85 CC] [REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/65C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 600 Volts, 101-200 Amperes [CUST: CR YD 85 CC] [REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/66C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 600 Volts, 201-400 Amperes [CUST: CR YD 99 CC] [REVIEW: AR AT CR4 NS OS]	A	5920	/	CC	20-NOV-2009
M	W-F-1814/67C	Fuse, Cartridge, High Interrupting Capacity, Classes RK1 and RK5 (Current-Limiting) 600 Volts, 401-600 Amperes [CUST: CR YD 85 CC] [REVIEW: 99 AR AT CR4 NS OS]	A	5920	/	CC	20-NOV-2009
M	MIL-PRF-83536B SUP 1A	Relays, Electromagnetic, Established Reliability, 25 Amperes and Below, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS NA]	A	5945		CC	24-NOV-2009
M	MIL-PRF-1/297E	Electron Tube, Magnetron Type 2J55 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG OS SH]	A	5960		CC	13-NOV-2009
M	MIL-PRF-19500/276H(1)	Semiconductor Device, Thyristors (Controlled Rectifiers), Silicon, Types 2N2323, 2N2324, 2N2326, 2N2328, 2N2329, and S and U4 Versions, 2N2323A, 2N2324A, 2N2326A, 2N2328A, 2N2329A, and AS and AU4 Versions, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SM]	A	5961		CC	24-NOV-2009
M	MIL-PRF-19500/297H	Semiconductor Device, Diode, Silicon, Power Rectifier, Types 1N1184, 1N1186, 1N1188, 1N1190, 1N3766, 1N3768, 1N1184R, 1N1186R, 1N1188R, 1N1190R, 1N3766R, 1N3768R, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SM]	A	5961		CC	09-NOV-2009
M	MIL-PRF-19500/395J(1)	Semiconductor Device, Transistor, NPN, Silicon, Switching, Types 2N3735, 2N3735L, 2N3737 and 2N3737UB, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961		CC	09-NOV-2009
M	MIL-PRF-19500/554E	Semiconductor Device, Diode, Silicon, Schottky Barrier, Fast Recovery, Type 1N6392, JAN, JANTX, JANTXV, and JANHC [CUST: 11 CC] [REVIEW: 19 99]	A	5961		CC	24-NOV-2009
M	MIL-PRF-19500/673A(1)	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon Types 2N7468U2 and 2N7469U2 JANTXVR, F, G and H and JANSR, F, G and H [CUST: CR EC 85 CC NA] [REVIEW: 71 99 MI]	A	5961		CC	05-NOV-2009
M	MIL-PRF-19500/683C(1)	Semiconductor Device, Transistor, Field Effect, N-Channel, Radiation Hardened (Total Dose and Single Event Effects) Type 2N7467U2, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA]	A	5961		CC	05-NOV-2009
M	MIL-PRF-19500/684D(1)	Semiconductor Device, Transistor, Field Effect, Silicon, N-Channel, Radiation Hardened (Total Dose and Single Event Effects), Types 2N7472U2, 2N7473U2, and 2N7474U2, JANTXVR and JANSR [CUST: CR EC 85 CC NA]	A	5961		CC	10-NOV-2009
M	MIL-PRF-19500/685D(1)	Semiconductor Device, Field Effect Radiation Hardened Transistor, N-Channel, Silicon, Types 2N7475T1, 2N7476T1 and 2N7477T1 (Total Dose and Single Event Effects), JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	11-NOV-2009

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-19500/697C(1)	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Type 2N7478T1, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR 85 CC NA] [REVIEW: 71 99 MI]	A	5961		CC	11-NOV-2009
M	MIL-PRF-19500/701A(1) NOT 1	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7491T2, 2N7492T2, and 2N7493T2, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 71 99 MI]	A	5961		CC	16-NOV-2009
M	MIL-DTL-3933/10F	Attenuators, Fixed Coaxial Line (Series N), Frequency Range: DC To 18 GHZ, Class III, Medium Power [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI SH]	A	5985		CC	19-NOV-2009
M	MIL-DTL-83739/1C	Switch, Antenna, Radio Frequency, Solid-State, SA-1474A/A [CUST: CR EC 85 CC] [REVIEW: 99 MI OS SH]	A	5985		CC	19-NOV-2009
M	A-A-59789/9A	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .225 Inch Body Size, Screw Actuated [CUST: CR EC 85 CC]	A	5998	/	CC	16-NOV-2009
M	A-A-59789/10A	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .225 Inch Body Size, Screw Actuated, with Visual Lock Indication [CUST: CR EC 85 CC]	A	5998	/	CC	16-NOV-2009
N	QPL-AS85485 NOT 1	Cable, Electric, Filter Line, Radio Frequency Absorptive	A	6145		AS	19-NOV-2009
M	A-A-59661A	Measurement Set, Transmission Impairment [CUST: 99]	A	6625	/	84	20-NOV-2009
M	A-A-59684A	Optical Spectrum Analyzer [CUST: 99]	A	6625	/	84	20-NOV-2009
M	QPL-27882-13 NOT 1	Indicator, Liquid Oxygen Quantity GMU-37/A (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6680		71	17-NOV-2009
M	A-A-59160A	Sodium Sulfite, Anhydrous, Technical [CUST: MI 68 GS]	A	6810	/	GS3	05-NOV-2009
M	A-A-59146A NOT 1	Cleaning Compound, Alkali, Boiling Vat (Soak) or Hydrosteam [CUST: MR SH 68 GS3] [REVIEW: CR4 MC MI]	A	6850	/	GS	19-NOV-2009
N	A-A-59845	Anchor, Ice, Screw [CUST: GL MC CT]	A	8465	/	CT	16-NOV-2009
N	A-A-59846	Anchor, Rock, Spring Loaded Camming Device [CUST: GL MC CT]	A	8465	/	CT	18-NOV-2009
N	A-A-59847	Harness, Mountaineering [CUST: GL MC CT]	A	8465	/	CT	19-NOV-2009
N	A-A-59848	Pulley, Mountaineering [CUST: GL MC CT]	A	8465	/	CT	20-NOV-2009
M	MIL-DTL-21981B NOT 2	Electronics Equipment, Nomenclature, Serial Numbers and Identification Plates: Requirements for [CUST: EC CC] [REVIEW: MC SH]	A	9905		EC	20-NOV-2009
N	TOP-1.2.511	Electromagnetic Environmental Effects System Testing [CUST: TE]	A	ISDA		TE	21-SEP-2009
N	TOP-2.4.002	Cold Regions Test of Tracked and Wheeled Vehicles [CUST: TE]	A	ISDA		TE	22-SEP-2009
N	TOP-4.2.013	Commodity Engineering Test Procedures, Recoilless Rifle Ammunition [CUST: TE]	A	ISDA		TE	22-SEP-2009
N	MIL-STD-31000	Technical Data Packages [CUST: AR OS 16 DH] [REVIEW: 01 08 10 11 13 19 33 94 99 AC AS AV CC CG CH CM CR DI EA EC HS MA MC MI MP MR ND NP NS PT SA SE SH SM SO SP TD TM] [AMSC: A9092]	A	SESS		AR	05-NOV-2009
M	DI-SESS-81000D	Product Drawings/Models and Associated Lists [AMSC: A9091]	A	SESS		AR	05-NOV-2009
M	DI-SESS-81001D	Conceptual Design Drawings/Models [AMSC: A9093]	A	SESS		AR	05-NOV-2009
M	DI-SESS-81002E	Developmental Design Drawings/Models and Associated Lists [AMSC: A9094]	A	SESS		AR	05-NOV-2009
M	DI-SESS-81003D	Commercial Drawings/Models and Associated Lists [AMSC: A9095]	A	SESS		AR	05-NOV-2009
M	DI-SESS-81004D	Special Inspection Equipment (SIE) Drawings/Models and Associated Lists [AMSC: A9096]	A	SESS		AR	05-NOV-2009
M	DI-SESS-81008D	Special Tooling (ST) Drawings/Models and Associated Lists [AMSC: A9097]	A	SESS		AR	05-NOV-2009
M	DI-SESS-81010D	Source Control Drawing Approval Request [AMSC: A9098]	A	SESS		AR	05-NOV-2009
M	DI-SESS-81011D	Drawing Number Assignment Report [AMSC: A9099]	A	SESS		AR	05-NOV-2009
M	DI-SESS-81012D	Proposed Critical Manufacturing Process Description (PCMPD) [AMSC: A9100]	A	SESS		AR	05-NOV-2009

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-46720C(1) NOT 1	Valve, Solenoid [CUST: AT] [REVIEW: CC]	A	2590	AT		09-NOV-2009
M	MS51928C	Clip, Spring Tension [CUST: AR YD 99 IS] [REVIEW: 71 AT CG CR CR4 SA]	A	5340	IS		10-NOV-2009
M	MIL-T-27/265B	Transformer, Power, Step Down and Step Up [CUST: CR EC 85 CC]	A	5950	CC		16-NOV-2009
M	MIL-M-38510/2G NOT 1	Microcircuits, Digital, TTL, Flip-Flops, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		19-NOV-2009
M	MIL-M-38510/6D NOT 1	Microcircuits, Digital, TTL, Binary Full Adders, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		19-NOV-2009
M	MIL-M-38510/9E NOT 1	Microcircuits, Digital, Bipolar TTL, Shift Registers, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		19-NOV-2009
M	MIL-M-38510/150D NOT 1	Microcircuits, Digital, Bipolar, TTL, Magnitude Comparators, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI OS SH SM TD]	A	5962	CC		19-NOV-2009
M	MIL-DTL-51384D	Alarm Unit, Chemical Agent Automatic Alarm: ABCA - M42 [CUST: EA SH 99]	C	6665	EA		30-NOV-2009
M	MIL-DTL-52701C	Indicator Solution, Ph Determination (Range 3.0 to 11.0) [CUST: AT GS] [REVIEW: MD1]	A	6810	GS3		17-NOV-2009

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-D-18072D NOT 3	Drilling Machines, Upright, Sensitive, Bench Type, Single Spindle, 5/16 Inch and Under, Hand Feed (No S/S Document) [CUST: SH 99 GS]	A	3413		GS6	17-NOV-2009
M	MS21936A NOT 2	Contour and Mounting End, Cluster Fitting Body, Semifinished (S/S by SAE-AS21936) [CUST: AV AS 99] [REVIEW: 71 AT CC MC MI SA SH]	A	4730		AS	17-NOV-2009
M	EIA170	Television Studio Facilities, Monochrome (No S/S Document) [CUST: CR YD 99 CC]	A	5820		CC	19-NOV-2009
M	MIL-S-55689 NOT 3	Suppressor, Electrical Transient, MX-7778()/GRC (No S/S Document) [CUST: CR CC]	A	5915		CC	24-NOV-2009
M	QPL-85485-7 NOT 1	Cable, Electric, Filter Line, Radio Frequency Absorptive (S/S by SAE-AS85485)	A	6145		AS	19-NOV-2009
M	SAE-AMS-S-8949	Steel Bars, Plates, Sheets, Billets, and Reforging Stock Type D6AC (No S/S Document) [CUST: MR AS 11] [REVIEW: IS]	A	9515		11	24-NOV-2009
M	SAE-AMS5359	Steel Castings, Sand, Corrosion and Heat Resistant 15CR - 4.0NI - 2.3MO - 0.08N Solution Heat Treated (No S/S Document) [CUST: MR AS 11]	A	MECA		11	24-NOV-2009
M	SAE-AMS5375	Alloy Castings, Investment, Corrosion and Heat Resistant 65.5CO - 25CR - 1.8NI - 5.0W as Cast (No S/S Document) [CUST: MR AS 11]	A	MECA		11	24-NOV-2009
M	SAE-AMS5403	Alloy Castings, Investment, Corrosion and Heat Resistant 60NI - 14CR - 9.5CO - 4.0MO - 4.0W - 5.0TI - 3.0AL - 0.015B - 0.06ZR Vacuum Melted, Vacuum Cast (No S/S Document) [CUST: MR AS 11]	A	MECA		11	24-NOV-2009
M	SAE-AMS5404	Alloy Castings, Investment, Corrosion and Heat Resistant 59NI - 12.6CR - 9.0CO - 1.9MO - 4.2W - 4.0TI - 4.2TA - 3.4AL - 0.015B - 0.10ZR - 0.90HF Vacuum Melted, Vacuum Cast Solution and Precipitation Heat Treated (No S/S Document) [CUST: MR AS 11]	A	MECA		11	24-NOV-2009
M	SAE-AMS5406	Alloy Castings, Investment, Corrosion and Heat Resistant 3NI - 8.0CR - 10CO - 6.0MO - 1.0TI - 4.2TA - 60AL - 0.015B - 0.03ZR - 1.2HF Vacuum Melted, Vacuum Cast as Cast (No S/S Document) [CUST: MR AS 11]	A	MECA		11	24-NOV-2009
M	SAE-AMS5407	Alloy Castings, Investment, Corrosion and Heat Resistant 60NI - 9.0CR - 10CO - 12.5W - 1.0CB - 2.0TI - 5.0AL - 0.015B - 0.06ZR Vacuum Melted, Vacuum Cast as Cast (No S/S Document) [CUST: MR AS 11]	A	MECA		11	24-NOV-2009
M	SAE-AMS5408	Alloy Castings, Centrifugal, Corrosion and Heat Resistant 64NI - 16CR - 15MO - 0.30A1 - 0.05LA Solution Heat Treated (No S/S Document) [CUST: MR AS 11]	A	MECA		11	24-NOV-2009
M	SAE-AMS7730	Depleted Uranium Castings (No S/S Document) [CUST: MR AS 11]	A	MECA		11	24-NOV-2009